# ROUTING AND RECORD SHEET

**SUBJECT:** (Optional)

Unclassified Version of NSDD-26 (Civil Defense)

FILE *Legal 5*

| FROM: | EXTENSION | NO. |
|---|---|---|
| C/Physical Security Division | | *NSDD-26* |
| 202 | | DATE 5 April 1982 |

STAT

| TO: (Officer designation, room number, and building) | DATE | | OFFICER'S INITIALS | COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.) |
|---|---|---|---|---|
| | RECEIVED | FORWARDED | | |
| 1.  DC/PSD | | 4/7 | H | The attached unclassified version of NSDD-26 was sent by [ ] to the D/Security FYI. It has come down through channels from DD/PTAS with a notation to us "for action as appropriate." I have read the directive; I would assume that between FEMA and our internal emergency planning setup objectives are being pursued in some orderly fashion. Do you see any appropriate action, specifically for this Division, springing from the directive? |
| 2.  C/PSD | 9 APR 1982 | 8 APR 1982 | WB | |
| 3.  OS Registry | | | | 1 TO 2 NONe other Than That Already Taken by HSB.  File : OS Registry |
| 4. | | | | |
| 5. | | | | |
| 6. | | | | |
| 7. | | | | |
| 8. | | | | |
| 9. | | | | |
| 10. | | | | |
| 11. | | | | |
| 12. | | | | |
| 13. | | | | |
| 14. | | | | |
| 15. | | | | OS2 0338/2 |

FORM **610** USE PREVIOUS EDITIONS
1-79

**TRANSMITTAL SLIP** | DATE 22 MAR 1982

TO: D/ Security

| ROOM NO. | BUILDING |

REMARKS:

FYI

FROM: EO/DDA

| ROOM NO. | BUILDING | EXTENSION |

FORM NO. 241
1 FEB 55    REPLACES FORM 36-8
            WHICH MAY BE USED.                    (47)